

MANUAL AIO CREATOR NEO

Table of Contents

- **First Steps**
 - Installation: Windows
 - Installation: Mac
- **License**
 - Install additional Plugin
 - Licence and Upgrades
 - Subscription Update Service (SUS)
- **Updates**
- **Startscreen**
- **Central User Interface**
 - Menu Bar
 - Settings Menu
 - Global Settings
 - App Simulator
 - Properties Menu
 - Editing Area
- **Remote**
 - Create/rename/save/delete a remote
 - Up-/download a remote
 - Delete a remote on the cloud-server
 - Direct transfer of remotes
 - Remote skin
 - Remote pages
 - auto-generating remote pages
 - Use Online Templates / Duplicate Pages
 - Background and global settings
 - Rename index-page
 - Resize remote page
 - General remote elements
 - Textfield element
 - choose font
 - Dynamic status textfield
 - Statusrules for texts
 - Image element
 - Dynamic status image
 - Import individual status images
 - Dynamic status image via status rules
 - Button
 - Add actions
 - Action: Execute command
 - Action: Execute macro
 - Action: Change page
 - Action: Refresh Page
 - Action: Control Camera
 - Action: Send HTTP-request

- Action: Show setup
 - Action: Selection Button
 - Action: Open Pop-Up
 - Add a status device
 - Dynamic status via status rules
 - Slider
 - Modify a slider via CSS
 - Camera
 - Webpage
 - Analogmeter
 - Color chooser
 - Smart Widgets
 - Special remote elements (depending on plugins)
 - Position and resize remote elements
 - Group elements
 - Default group elements
 - Individual group elements
- Create and define Pop-ups
- Camera Manager
 - Integrate camera controls & additional functions
 - Integrate generic IP-Cams
- Webpage Manager
- Macro Editor
 - Create and edit macros
- Device Manager
 - Category Devices
 - Integrate devices via AIO GATEWAY
 - move devices to another room
 - Integrate IR-/RF-devices and learn commands
 - Import IR-devices from Creator Flex/HM
 - Integrate supported RF-devices
 - Integrate Barthelme Chromoflex Controller
 - Direct links for Homematic IP devices
 - Import devices from gateways
 - Import Sonos Sound System devices
 - Import Teufel Raumfeld Sound System devices
 - Import Bose SoundTouch devices
 - Integrate IP-AV-Receiver via plugin
 - Enter custom commands for IP-AV-Receiver
 - Import mydlink Home Wifi devices
 - Integrate EnOcean devices via V5Plus & USB-Stick
 - Integrate Z-Wave devices via V5Plus & USB-Stick
 - Integrate ZigBee lights via V5Plus & USB-Stick
 - Category Gateways
 - Integrate an AIO GATEWAY
 - Task Manager
 - Define triggers
 - Define actions *
 - Create heat plans
 - Integrate a HomeMatic CCU 1/2
 - Import devices from CCU 1/2

- Remote access via cloudmatic
 - Integrate an Homematic IP Accesspoint
 - Integrate the Contronics ExecEngine
 - Import devices from Contronics ExecEngine
 - Integrate Rademacher Homepilot
 - Import device from Homepilot
 - Integrate Philips hue bridge
 - Import devices from hue bridge
 - Integrate MAX! Cube
 - Import devices from MAX! Cube
 - Integrate EASY LED Controller
 - EASY LED as a new device
 - Integrate Mi.Light Controller
 - Mi.Light as a new device
 - Integrate netatmo central unit
 - Import netatmo devices
 - Integrate OSRAM Lightify Central Unit
 - Import OSRAM Lightify devices
 - Integrate Möhlenhoff Alpha 2 Base Unit
 - Import Möhlenhoff Alpha 2 devices
 - Integrate Logitech Harmony Hub
 - ImportHarmony Hub devices
 - Integrate tado smart thermostat
 - tado thermostat as a new device
 - Integrate REHAU nea smart base unit
 - Import REHAU nea smart devices
 - Integrate RWE SmartHome Central Unit
 - Import devices from RWE SmartHome Central Unit
 - Integrate AVM FRITZ!Box as Gateway
 - Import DECT-devices via FRITZ!Box
 - Integrate QIVICON homebase as a gateway
 - Import devices from QIVICON homebase
 - Integrate Homewizard as a gateway
 - Import devices from Homewizard
 - Integrate mydlink Connected Home Hub as a gateway
 - Import devices from mydlink Connected Home Hub
 - Integrate Samsung Online Account
 - Import Samsung smart appliances
 - Import Feller Zeprion Air devices
 - Integrate NUKI BRIDGE as a gateway
 - Integrate NUKI SMART LOCK
 - Import devices from Somfy TaHoma Box
 - Import KNX devices
 - Import digitalSTROM devices
 - Import devices via Brelag Carbon Gateway
 - Integrate Hautau devices via Hautau Wlan-Box
 - Integrate WIR Gateway and WIR devices
- NEO Automation Manager
 - Image catalog
 - Import individual images
 - Import individual status images

- Create, assign and modify status rules
- Page Status Action
- Control the NEO system via Internet
- Control your home via mobile app AIO REMOTE NEO
 - AIO REMOTE NEO Desktop-Apps
 - Control AIO GATEWAY cloud access
- Create a backup for NEO
- Import einer Konfiguration von IQONTROL NEO
- Config Tool
 - Firmware Update
 - Network settings
 - Advanced settings
 - Change sensor mode
- FAQ
- Troubleshooting
- Changelog

From:
<http://doku.mediola.com/> - **Dokumentationen**

Permanent link:
<http://doku.mediola.com/doku.php?id=en:creator:start>

Last update: **2020/06/08 12:57**

